

CY 2012 Performance Measure Scores - Reform

| Performance Measures | Health Plans | | | | | |
|---|---------------|-------------|-------|-----------------------|---------|--------|
| | Better Health | CareFlorida | CMS | First Coast Advantage | Freedom | Humana |
| Adolescent Well Care | 58.2% | 42.9% | 60.6% | 35.8% | 46.0% | 55.8% |
| Adults' Access to Preventive/Ambulatory Health Services - ages 20-44 | 68.2% | 57.8% | 93.4% | 73.1% | 66.7% | 64.0% |
| Adults' Access to Preventive/Ambulatory Health Services - ages 45-64 | 84.5% | 75.0% | ** | 88.5% | 84.3% | 84.8% |
| Adults' Access to Preventive/Ambulatory Health Services - ages 65+ | 75.3% | 60.3% | ** | 90.6% | 75.3% | 86.6% |
| Adults' Access to Preventive/Ambulatory Health Services -Total | 74.2% | 63.0% | 93.4% | 78.4% | 72.4% | 77.4% |
| Adult BMI Assessment | 60.3% | ** | 54.8% | 91.4% | 60.6% | 87.4% |
| Annual Dental Visits - Total | 43.7% | 23.8% | 50.3% | 46.6% | 37.2% | 33.7% |
| Antidepressant Medication Management - Effective Acute Phase Treatment | 63.0% | ** | ** | 66.0% | ** | ** |
| Antidepressant Medication Management - Effective Continuation Phase Treatment | 50.0% | ** | ** | 59.1% | ** | ** |
| Appropriate Testing for Children with Pharyngitis | 69.9% | ** | 74.7% | 58.9% | 63.2% | 80.3% |
| Breast Cancer Screening | 49.8% | ** | * | 56.1% | 53.0% | 59.4% |
| Call Abandonment (INVERSE) | 4.1% | 1.4% | 3.5% | 7.3% | 2.4% | 3.5% |
| Call Answer Timeliness | 87.7% | 91.6% | 78.1% | 65.5% | 87.3% | 96.5% |
| Cervical Cancer Screening | 58.2% | 34.1% | * | 61.4% | 61.3% | 64.5% |
| Childhood Immunization Status - Combination 2 | 72.5% | ** | 82.3% | 80.1% | 58.1% | ** |
| Childhood Immunization Status - Combination 3 | 67.2% | ** | 78.1% | 73.5% | 53.5% | ** |
| Children and Adolescents' Access to Primary Care Practitioners - ages 12-24 months | 97.9% | 86.7% | 99.6% | 87.0% | 98.1% | ** |
| Children and Adolescents' Access to Primary Care Practitioners - ages 25 months - 6 years | 92.1% | 74.5% | 96.5% | 77.6% | 88.6% | 92.0% |

*= Measure not applicable to plan

**= Insufficient Enrollment to report this measure

CY 2012 Performance Measure Scores - Reform

| Performance Measures | Health Plans | | | | | |
|---|---------------|-------------|-------|-----------------------|---------|--------|
| | Better Health | CareFlorida | CMS | First Coast Advantage | Freedom | Humana |
| Children and Adolescents' Access to Primary Care Practitioners - ages 7-11 years | 88.2% | ** | 96.7% | 77.3% | 82.1% | 93.9% |
| Children and Adolescents' Access to Primary Care Practitioners - ages 12-19 years | 83.5% | ** | 96.6% | 74.4% | 74.4% | 85.1% |
| Chlamydia Screening in Women - 16-20 years | 62.9% | ** | 47.9% | 54.2% | 56.1% | 52.3% |
| Chlamydia Screening in Women - 21-24 years | 72.4% | ** | * | 71.2% | 66.7% | ** |
| Chlamydia Screening in Women - Total | 66.1% | 51.9% | 47.9% | 61.9% | 61.1% | 54.1% |
| Comprehensive Diabetes - HbA1C Testing | 78.1% | 80.0% | ** | 82.3% | 78.1% | 84.0% |
| Comprehensive Diabetes - HbA1C Poor Control (INVERSE) | 53.5% | 45.0% | ** | 45.1% | 43.8% | 36.5% |
| Comprehensive Diabetes - HbA1C Good Control | 40.6% | 48.3% | ** | 44.7% | 48.6% | 55.3% |
| Comprehensive Diabetes - Eye Exam | 35.5% | 46.7% | ** | 50.2% | 56.2% | 58.2% |
| Comprehensive Diabetes - LDL Screening | 81.3% | 85.0% | ** | 81.4% | 81.9% | 82.4% |
| Comprehensive Diabetes - LDL-C Control | 28.7% | 38.3% | ** | 35.0% | 36.2% | 39.3% |
| Comprehensive Diabetes - Nephropathy | 86.9% | 95.0% | ** | 83.2% | 78.1% | 86.1% |
| Controlling Blood Pressure - Total | 48.2% | 53.2% | * | 51.8% | 58.5% | 65.1% |
| Follow-up After Hospitalization for Mental Illness - 7 Day | 11.4% | ** | 43.8% | 19.2% | 26.6% | 22.2% |
| Follow-up After Hospitalization for Mental Illness - 30 Day | 20.5% | ** | 76.4% | 41.3% | 34.8% | 38.5% |
| Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase | 28.0% | ** | 54.5% | 45.3% | ** | ** |
| Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance | ** | ** | 63.0% | 57.4% | ** | ** |
| Frequency of HIV Disease Monitoring Lab Tests - CD4 ≥ 2 (182) | 8.4% | ** | 66.7% | 54.6% | ** | ** |
| Frequency of HIV Disease Monitoring Lab Tests - CD4 0 (INVERSE) | 31.3% | ** | 5.9% | 13.4% | ** | ** |

*= Measure not applicable to plan

**= Insufficient Enrollment to report this measure

CY 2012 Performance Measure Scores - Reform

| Performance Measures | Health Plans | | | | | |
|---|---------------|-------------|--------|-----------------------|---------|--------|
| | Better Health | CareFlorida | CMS | First Coast Advantage | Freedom | Humana |
| Frequency of HIV Disease Monitoring Lab Tests - VL ≥ 2 (182) | 0.0% | ** | 62.7% | 53.8% | ** | ** |
| Frequency of HIV Disease Monitoring Lab Tests - VL 0 (INVERSE) | 29.0% | ** | 7.8% | 10.9% | ** | ** |
| Highly Active Anti-Retroviral Treatment | 41.3% | ** | 86.0% | 78.9% | ** | ** |
| HIV-Related Outpatient Medical Visits ≥ 2 (182) | 0.0% | ** | 74.5% | 68.1% | ** | ** |
| HIV-Related Outpatient Medical Visits 0 (INVERSE) | 28.2% | ** | 2.0% | 4.2% | ** | ** |
| Immunization for Adolescents - Combination 1 | 63.5% | ** | 75.3% | 48.1% | 60.3% | 72.1% |
| Lead Screening in Children | 58.4% | ** | 72.9% | 43.1% | 49.4% | ** |
| Lipid Profile Annually | 83.5% | 85.7% | * | 78.0% | 84.3% | 87.1% |
| Prenatal Care | 69.9% | ** | ** | 60.9% | 70.6% | 71.4% |
| Prenatal Care Frequency - Greater than 81% of Visits | 64.4% | ** | ** | 46.6% | 66.7% | 42.9% |
| Postpartum Care | 57.9% | ** | ** | 41.9% | 54.9% | 40.0% |
| Readmission Rate (INVERSE) | 75.2% | 9.0% | 16.7% | 17.1% | 27.3% | 17.9% |
| Transportation Availability | 100.0% | ** | 100.0% | 100.0% | 100.0% | 100.0% |
| Transportation Timeliness | 95.1% | ** | 69.4% | 97.2% | 96.7% | 94.2% |
| Use of Angiotensin-Converting Enzyme (ACE) Inhibitors/Angiotensin Receptor Blockers (ARB) Therapy | 72.2% | ** | * | 74.4% | 68.9% | 68.5% |
| Use of Appropriate Medications for People with Asthma - Total | 73.8% | ** | 85.3% | 78.9% | ** | 79.4% |
| Well-Child 0 Visits (INVERSE) | 0.7% | 19.4% | 0.0% | 2.4% | 1.3% | ** |
| Well-Child 6+ Visits | 47.7% | 6.5% | 71.2% | 57.8% | 47.5% | ** |
| Well-Child Visits in the Third, Fourth, Fifth, and Sixth Years of Life | 76.2% | 69.8% | 78.4% | 72.2% | 71.3% | 78.7% |

*= Measure not applicable to plan

**= Insufficient Enrollment to report this measure

CY 2012 Performance Measure Scores - Reform

| Performance Measures | Health Plans | | | | | | |
|---|--------------|--------|----------|-------|--------|----------|--------|
| | Medica | Molina | Positive | SFCN | Simply | Sunshine | United |
| Adolescent Well Care | 37.9% | 51.6% | ** | 59.6% | ** | 46.6% | 49.6% |
| Adults' Access to Preventive/Ambulatory Health Services - ages 20-44 | 63.8% | 68.3% | 90.9% | 61.5% | ** | 68.5% | 73.4% |
| Adults' Access to Preventive/Ambulatory Health Services - ages 45-64 | 82.3% | 84.8% | 94.0% | 81.1% | ** | 83.4% | 88.4% |
| Adults' Access to Preventive/Ambulatory Health Services - ages 65+ | 72.7% | 77.1% | ** | 77.6% | ** | 71.0% | ** |
| Adults' Access to Preventive/Ambulatory Health Services -Total | 73.0% | 74.7% | 93.4% | 71.5% | ** | 72.4% | 78.8% |
| Adult BMI Assessment | 60.6% | 65.4% | 85.7% | 36.9% | ** | 41.4% | 55.0% |
| Annual Dental Visits - Total | 16.1% | 43.6% | ** | 43.2% | * | 32.1% | 43.4% |
| Antidepressant Medication Management - Effective Acute Phase Treatment | ** | 40.6% | ** | 58.3% | ** | 47.6% | 58.8% |
| Antidepressant Medication Management - Effective Continuation Phase Treatment | ** | 30.4% | ** | 38.9% | ** | 32.2% | 32.4% |
| Appropriate Testing for Children with Pharyngitis | ** | 71.7% | ** | 80.0% | ** | 65.7% | 64.1% |
| Breast Cancer Screening | 47.6% | 53.9% | ** | 61.5% | ** | 44.7% | 50.0% |
| Call Abandonment (INVERSE) | 4.4% | 1.8% | 12.4% | 3.7% | ** | 1.3% | 2.6% |
| Call Answer Timeliness | 50.0% | 84.2% | 84.9% | 69.9% | ** | 96.4% | 82.0% |
| Cervical Cancer Screening | 41.8% | 62.9% | 40.0% | 54.7% | ** | 55.6% | 55.6% |
| Childhood Immunization Status - Combination 2 | 70.5% | 73.1% | ** | 81.0% | ** | 78.5% | 85.9% |
| Childhood Immunization Status - Combination 3 | 65.1% | 66.9% | ** | 77.4% | ** | 70.6% | 80.3% |
| Children and Adolescents' Access to Primary Care Practitioners - ages 12-24 months | 90.9% | 95.5% | ** | 97.3% | ** | 96.5% | 95.9% |
| Children and Adolescents' Access to Primary Care Practitioners - ages 25 months - 6 years | 83.1% | 90.3% | ** | 92.3% | ** | 90.7% | 90.2% |

*= Measure not applicable to plan

**= Insufficient Enrollment to report this measure

CY 2012 Performance Measure Scores - Reform

| Performance Measures | Health Plans | | | | | | |
|---|--------------|--------|----------|-------|--------|----------|--------|
| | Medica | Molina | Positive | SFCN | Simply | Sunshine | United |
| Children and Adolescents' Access to Primary Care Practitioners - ages 7-11 years | 79.8% | 85.7% | ** | 90.4% | ** | 87.7% | 87.6% |
| Children and Adolescents' Access to Primary Care Practitioners - ages 12-19 years | 65.4% | 81.0% | ** | 84.3% | ** | 83.7% | 89.0% |
| Chlamydia Screening in Women - 16-20 years | ** | 65.0% | ** | 61.8% | ** | 61.0% | 52.2% |
| Chlamydia Screening in Women - 21-24 years | ** | 73.5% | ** | 63.0% | ** | 71.4% | 71.4% |
| Chlamydia Screening in Women - Total | 55.0% | 68.3% | ** | 62.1% | ** | 64.9% | 56.7% |
| Comprehensive Diabetes - HbA1C Testing | 76.3% | 80.9% | ** | 82.2% | ** | 73.6% | 82.6% |
| Comprehensive Diabetes - HbA1C Poor Control (INVERSE) | 47.4% | 43.2% | ** | 43.1% | ** | 60.0% | 48.9% |
| Comprehensive Diabetes - HbA1C Good Control | 50.0% | 48.3% | ** | 49.1% | ** | 34.6% | 45.8% |
| Comprehensive Diabetes - Eye Exam | 50.0% | 48.1% | ** | 47.0% | ** | 53.3% | 45.3% |
| Comprehensive Diabetes - LDL Screening | 83.3% | 82.3% | ** | 80.5% | ** | 75.0% | 81.6% |
| Comprehensive Diabetes - LDL-C Control | 36.0% | 33.7% | ** | 32.8% | ** | 27.1% | 30.0% |
| Comprehensive Diabetes - Nephropathy | 79.8% | 77.8% | ** | 77.4% | ** | 74.3% | 79.5% |
| Controlling Blood Pressure - Total | 52.2% | 42.9% | 60.0% | 54.0% | ** | 24.4% | 59.4% |
| Follow-up After Hospitalization for Mental Illness - 7 Day | 0.9% | 31.6% | ** | 29.7% | ** | 25.2% | 36.7% |
| Follow-up After Hospitalization for Mental Illness - 30 Day | 0.0% | 35.3% | ** | 50.6% | ** | 43.7% | 57.2% |
| Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase | ** | 32.0% | ** | 37.1% | ** | 51.6% | 40.8% |
| Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance | ** | ** | ** | 47.1% | ** | 64.2% | ** |
| Frequency of HIV Disease Monitoring Lab Tests - CD4 \geq 2 (182) | ** | 40.5% | 62.4% | 54.6% | ** | 48.3% | ** |
| Frequency of HIV Disease Monitoring Lab Tests - CD4 0 (INVERSE) | ** | 16.7% | 6.4% | 9.0% | ** | 15.2% | ** |

*= Measure not applicable to plan

**= Insufficient Enrollment to report this measure

CY 2012 Performance Measure Scores - Reform

| Performance Measures | Health Plans | | | | | | |
|---|--------------|--------|----------|--------|--------|----------|--------|
| | Medica | Molina | Positive | SFCCN | Simply | Sunshine | United |
| Frequency of HIV Disease Monitoring Lab Tests - VL ≥ 2 (182) | ** | 40.5% | 64.8% | 56.1% | ** | 47.8% | ** |
| Frequency of HIV Disease Monitoring Lab Tests - VL 0 (INVERSE) | ** | 21.4% | 4.8% | 18.5% | ** | 8.5% | ** |
| Highly Active Anti-Retroviral Treatment | ** | 85.3% | 82.4% | 60.2% | ** | 61.7% | ** |
| HIV-Related Outpatient Medical Visits ≥ 2 (182) | ** | 38.1% | 68.8% | 53.5% | ** | 52.2% | ** |
| HIV-Related Outpatient Medical Visits 0 (INVERSE) | ** | 11.9% | 7.2% | 6.1% | ** | 11.8% | ** |
| Immunization for Adolescents - Combination 1 | 43.6% | 54.3% | ** | 71.6% | ** | 46.2% | 45.9% |
| Lead Screening in Children | 52.3% | 64.6% | ** | 78.7% | ** | 66.0% | 50.5% |
| Lipid Profile Annually | 81.5% | 82.6% | 54.3% | 82.7% | ** | 76.1% | 81.2% |
| Prenatal Care | ** | 75.0% | ** | 64.5% | ** | 68.8% | 61.5% |
| Prenatal Care Frequency - Greater than 81% of Visits | ** | 73.3% | ** | 62.4% | ** | 45.3% | 51.3% |
| Postpartum Care | ** | 55.2% | ** | 62.8% | ** | 50.7% | 66.7% |
| Readmission Rate (INVERSE) | 39.8% | 25.8% | ** | 23.3% | ** | 26.6% | 21.8% |
| Transportation Availability | 100.0% | 100.0% | 100.0% | 100.0% | ** | 100.0% | 100.0% |
| Transportation Timeliness | 100.0% | 90.9% | 99.8% | 89.5% | ** | 95.8% | 85.2% |
| Use of Angiotensin-Converting Enzyme (ACE) Inhibitors/Angiotensin Receptor Blockers (ARB) Therapy | 69.0% | 54.0% | ** | 61.2% | ** | 67.3% | 70.6% |
| Use of Appropriate Medications for People with Asthma - Total | ** | 65.5% | ** | 79.9% | ** | 79.8% | 76.4% |
| Well-Child 0 Visits (INVERSE) | 9.6% | 3.3% | ** | 1.5% | ** | 0.5% | 1.4% |
| Well-Child 6+ Visits | 59.6% | 48.8% | ** | 66.2% | ** | 55.6% | 63.6% |
| Well-Child Visits in the Third, Fourth, Fifth, and Sixth Years of Life | 66.6% | 76.8% | ** | 81.2% | ** | 75.0% | 69.6% |

*= Measure not applicable to plan

**= Insufficient Enrollment to report this measure