

Calendar Years (CY) 2013 and 2014 Florida Medicaid Managed Care Performance Measures

Measure	CY 2013		CY 2014		
	CY 2013 Weighted Mean ¹	CY 2013 Comparison to National Mean ²	CY 2014 Ongoing Plan Weighted Means ³	CY 2014 Comparison to National Mean ⁴	CY 2014 Compared to CY 2013 Weighted Mean
Adolescent Well-Care	50%	At the mean	53%	Higher	Higher
Adults' Access to Preventive Care - 20-44 Yrs	68%	Lower	68%	Lower	Same
Adults' Access to Preventive Care - 45-64 Yrs	83%	Lower	85%	Lower	Higher
Adults' Access to Preventive Care - 65+ Yrs	73%	Lower	80%	Lower	Higher
Adults' Access to Preventive Care - total	72%	Lower	74%	Lower	Higher
Adult BMI Assessment	82%	Higher	86%	Higher	Higher
Annual Dental Visit	40%	Lower	34%	Lower	Lower
Annual Monitoring for Patients on Persistent Medications - ACEs/ARBs	N/A	N/A	92%	Higher	N/A
Annual Monitoring for Patients on Persistent Medications - Digoxin ⁵	N/A	N/A	46%	Lower	N/A
Annual Monitoring for Patients on Persistent Medications - Diuretics	N/A	N/A	92%	Higher	N/A
Annual Monitoring for Patients on Persistent Medications - total	N/A	N/A	92%	Higher	N/A
Antidepressant Medication Mgmt - Acute	53%	At the mean	52%	Higher	Lower
Antidepressant Medication Mgmt - Continuation	38%	Higher	36%	Higher	Lower
Use of Appropriate Medications for People with Asthma	81%	Lower	84%	At the mean	Higher
Breast Cancer Screening	55%	Higher	59%	Higher	Higher
Call Answer Timeliness	95%	Higher	87%	Higher	Lower
Controlling Blood Pressure	53%	Lower	57%	Higher	Higher
Childhood Immunization Status - Combo 2	76%	At the mean	75%	Higher	Lower
Childhood Immunization Status - Combo 3	71%	Lower	71%	At the mean	Same
Children & Adolescents' Access to Primary Care Practitioners (PCPs) - 12-24 months	95%	Lower	96%	At the mean	Higher
Children & Adolescents' Access to Primary Care Practitioners (PCPs) - 25 months-6 years	88%	At the mean	89%	Higher	Higher
Children & Adolescents' Access to Primary Care Practitioners (PCPs) - 7-11 years	87%	Lower	89%	Lower	Higher

Calendar Years (CY) 2013 and 2014 Florida Medicaid Managed Care Performance Measures

Measure	CY 2013		CY 2014		
	CY 2013 Weighted Mean ¹	CY 2013 Comparison to National Mean ²	CY 2014 Ongoing Plan Weighted Means ³	CY 2014 Comparison to National Mean ⁴	CY 2014 Compared to CY 2013 Weighted Mean
Children & Adolescents' Access to Primary Care Practitioners (PCPs) - 12-19 years	84%	Lower	86%	Lower	Higher
Chlamydia Screening - 16-20 years	58%	Higher	57%	Higher	Lower
Chlamydia Screening - 21-24 years	70%	Higher	70%	Higher	Same
Chlamydia Screening - total	63%	Higher	60%	Higher	Lower
Diabetes - HbA1c Testing	80%	Lower	85%	Higher	Higher
Diabetes - HbA1c Poor Control (INVERSE)	48%	Higher (Worse)	42%	Lower (Better)	Lower (Better)
Diabetes - HbA1c Good Control	43%	Lower	48%	Higher	Higher
Diabetes - Eye Exam	49%	Lower	51%	Lower	Higher
Diabetes - LDL Screening	80%	Higher	82%	Higher	Higher
Diabetes - LDL Control	33%	Lower	34%	At the mean	Higher
Diabetes - Nephropathy	80%	Higher	84%	Higher	Higher
Engagement of Alcohol and Other Drug Dependence Treatment - 13-17 years of age	N/A	N/A	13%	Lower	N/A
Engagement of Alcohol and Other Drug Dependence Treatment - 18+ years of age	N/A	N/A	6%	Lower	N/A
Engagement of Alcohol and Other Drug Dependence Treatment - total	N/A	N/A	7%	Lower	N/A
Follow-up after Hospitalization for Mental Illness - 7 day	27%	Lower	24%	Lower	Lower
Follow-up after Hospitalization for Mental Illness - 30 day	45%	Lower	38%	Lower	Lower
Follow-up Care for Children Prescribed ADHD Medication - Initiation	48%	Higher	50%	Higher	Higher
Follow-up Care for Children Prescribed ADHD Medication - Continuation and Maintenance ⁶	62%	Higher	61%	Higher	Lower
Initiation of Alcohol and Other Drug Dependence Treatment - 13-17 years of age	N/A	N/A	46%	Higher	N/A
Initiation of Alcohol and Other Drug Dependence Treatment - 18+ years of age	N/A	N/A	43%	Higher	N/A
Initiation of Alcohol and Other Drug Dependence Treatment - total	N/A	N/A	44%	Higher	N/A

Calendar Years (CY) 2013 and 2014 Florida Medicaid Managed Care Performance Measures

Measure	CY 2013		CY 2014		
	CY 2013 Weighted Mean ¹	CY 2013 Comparison to National Mean ²	CY 2014 Ongoing Plan Weighted Means ³	CY 2014 Comparison to National Mean ⁴	CY 2014 Compared to CY 2013 Weighted Mean
Prenatal Care Frequency	60%	Lower	65%	Higher	Higher
Immunizations for Adolescents - Combo 1	63%	Lower	65%	Lower	Higher
Lead Screening in Children	60%	Lower	62%	Lower	Higher
Prenatal Care	71%	Lower	84%	Higher	Higher
Postpartum Care	51%	Lower	60%	Lower	Higher
Well-Child First 15 Mos. - 0 Visits (INVERSE)	2%	At the mean	3%	At the mean	Higher (Worse)
Well-Child First 15 Mos. - 6(+) Visits	54%	Lower	55%	Lower	Higher
Well-Child 3-6 Years	75%	Higher	75%	Higher	Same

¹Data are submitted to the Agency by HMOs and PSNs and are audited by NCQA-certified HEDIS auditors. Each rate for calendar year 2013 is the weighted mean across Reform and Non-Reform health plans, weighted by the number of eligible members each plan had per measure. Eligible members are those enrollees who meet all criteria for each specific measure.

²National Mean as published by NCQA, Medicaid product line. The National Mean that is presented is the National Mean for 2013 reporting, which is calculated using CY 2012 service data.

³Includes performance measure data for plans with ongoing operations for all of calendar year 2014, including pre and post-MMA months.

⁴National Mean as published by NCQA, Medicaid product line. The National Mean that is presented is the National Mean for 2014 reporting, which is calculated using CY 2013 service data.

⁵Only 6 of 16 plans had sufficient eligible members to report a rate for this measure for CY 2014.

⁶Only 4 of 15 plans had sufficient eligible members to report a rate for this measure for CY 2013 Reform. 7 of 24 plans had sufficient eligible members to report a rate for this measure for CY 2013 Non-Reform. 8 of 16 plans had sufficient eligible members to report a rate for this measure for CY 2014.