



Division: Pharmacy Policy	Subject: Prior Authorization Criteria
Original Development Date: Original Effective Date: Revision Date:	August 6, 2021

## **BUPRENORPHINE AGENTS FOR PAIN ONLY**

BELBUCA<sup>®</sup> (buprenorphine buccal film)  
BUTRANS<sup>®</sup> (buprenorphine) transdermal system

**LENGTH OF AUTHORIZATION:** Up to 3 months

### **INITIAL REVIEW CRITERIA FOR PAIN:**

- Patient must be 18 years of age or older.
- Submission of justification of the need for the management of pain severe enough to require daily, around the clock, long-term opioid treatment (not indicated for as needed analgesic).
- Trial and failure documentation of preferred agent(s) required.

### **CONTINUATION OF THERAPY FOR PAIN:**

- Patient continues to meet all the initial review criteria; **AND**
- Patient has been compliant with medication refills; **AND**
- Patient has no medication fills for any other long-acting opioid; **AND**
- There is no history of behavior indicative of abuse including requests for early refills.

### **DOSING AND ADMINISTRATION:**

BELBUCA<sup>®</sup> (buprenorphine buccal film)

- Refer to product labeling <https://www.accessdata.fda.gov/scripts/cder/daf/>
- Dosage Forms: 75 mcg, 150 mcg, 300 mcg, 450 mcg, 600 mcg, 750 mcg, and 900 mcg buccal film

BUTRANS<sup>®</sup> (buprenorphine) transdermal system

- Refer to product labeling <https://www.accessdata.fda.gov/scripts/cder/daf/>
- Dosage Forms: 5 mcg/hour, 7.5 mcg/hour, 10 mcg/hour, 15 mcg/hour, and 20 mcg/hour transdermal system