



Division: Pharmacy Policy	Subject: Prior Authorization Criteria
Original Development Date: Original Effective Date: Revision Date:	December 8, 2021 July 7, 2022, October 14, 2022

OPZELURA™ (ruxolitinib)

LENGTH OF AUTHORIZATION: Up to 6 months

INITIAL REVIEW CRITERIA:

- Patient must be ≥ 12 years of age.
- Patient must not be immunocompromised **or have an active infection.**
- **The patient must have a documented diagnosis of one of the following:**
 - Mild to moderate atopic dermatitis**
 - Trial and failure of at least two mild-moderate potency topical steroids. Contraindications, adverse effects and/or intolerance must be documented; **AND**
 - Patient has had a trial of at least one preferred topical calcineurin inhibitor (Elidel, Protopic) and experienced inadequate response or intolerance; **AND**
 - Patient has had a trial and failure of Eucrisa.
 - Non-segmental vitiligo involving up to 10% of body surface area (BSA)**
 - Trial and failure of at least two moderate to high potency topical steroids. Contraindications, adverse effects and/or intolerance must be documented; **AND**
 - Patient has had a trial of at least one preferred topical calcineurin inhibitor (Elidel, Protopic) and experienced inadequate response or intolerance; **AND**
 - Patient did not respond adequately (or is not a candidate) to a 3 month minimum trial of phototherapy.

DOSING AND ADMINISTRATION:

- Refer to product labeling at <https://www.accessdata.fda.gov/scripts/cder/daf/>
- Available as 1.5% topical cream.