

CY 2016 MMA Performance Measure Scores

| Performance Measures | Health Plans | | | | |
|---|---------------------|------------|---------------|-----------------------------|--------------|
| | Aetna Better Health | Amerigroup | Better Health | Children's Medical Services | Clear Health |
| Adherence to Antipsychotic Medications for Individuals with Schizophrenia | 57% | 63% | 45% | N/A | 54% |
| Adolescent Well Care Visits | 59% | 60% | 56% | 55% | 46% |
| Adults' Access to Preventive/Ambulatory Health Services - ages 20-44 | 68% | 70% | 60% | N/A | 87% |
| Adults' Access to Preventive/Ambulatory Health Services - ages 45-64 | 83% | 85% | 80% | N/A | 93% |
| Adults' Access to Preventive/Ambulatory Health Services - ages 65+ | 86% | 88% | 85% | N/A | 93% |
| Adults' Access to Preventive/Ambulatory Health Services -Total | 74% | 75% | 68% | N/A | 91% |
| Adult BMI Assessment | 90% | 92% | 87% | 19% | 87% |
| Annual Dental Visit - Total | 47% | 51% | 51% | 49% | 40% |
| Annual Monitoring for Patients on Persistent Medications - ACEs/ARBs | 95% | 93% | 92% | 86% | 98% |
| Annual Monitoring for Patients on Persistent Medications - Digoxin | ** | 62% | ** | ** | ** |
| Annual Monitoring for Patients on Persistent Medications - Diuretics | 95% | 93% | 93% | 90% | 99% |
| Annual Monitoring for Patients on Persistent Medications - Total | 95% | 93% | 92% | 82% | 98% |
| Antidepressant Medication Management - Effective Acute Phase Treatment | 53% | 51% | 42% | 65% | 54% |
| Antidepressant Medication Management - Effective Continuation Phase Treatment | 37% | 34% | 30% | 53% | 40% |
| Breast Cancer Screening | 69% | 62% | 59% | N/A | 58% |
| Call Answer Timeliness | 83% | 84% | 89% | 85% | 92% |

** = Insufficient enrollment to report this measure

N/A = Not a required measure for this plan

NR = Not Reported

CY 2016 MMA Performance Measure Scores

| Performance Measures | Health Plans | | | | |
|--|---------------------|------------|---------------|-----------------------------|--------------|
| | Aetna Better Health | Amerigroup | Better Health | Children's Medical Services | Clear Health |
| Cervical Cancer Screening | 67% | 61% | 58% | N/A | 68% |
| Childhood Immunization Status - Combination 2 | 78% | 84% | 74% | 77% | ** |
| Childhood Immunization Status - Combination 3 | 72% | 80% | 72% | 70% | ** |
| Children and Adolescents' Access to Primary Care Practitioners - ages 12-24 months | 96% | 96% | 94% | 96% | ** |
| Children and Adolescents' Access to Primary Care Practitioners - ages 25 months - 6 years | 90% | 91% | 88% | 94% | 67% |
| Children and Adolescents' Access to Primary Care Practitioners - ages 7-11 years | 90% | 91% | 88% | 96% | ** |
| Children and Adolescents' Access to Primary Care Practitioners - ages 12-19 years | 85% | 89% | 82% | 96% | ** |
| Chlamydia Screening in Women - 16-20 years | 67% | 63% | 60% | 42% | ** |
| Chlamydia Screening in Women - 21-24 years | 68% | 73% | 67% | ** | 73% |
| Chlamydia Screening in Women - Total | 68% | 65% | 62% | 42% | 77% |
| Comprehensive Diabetes - HbA1C Testing | 88% | 85% | 86% | 81% | 86% |
| Comprehensive Diabetes - HbA1C Poor Control (INVERSE) | 36% | 38% | 42% | 100% | 53% |
| Comprehensive Diabetes - HbA1C Good Control | 54% | 51% | 47% | 0% | 39% |
| Comprehensive Diabetes - Eye Exam | 57% | 55% | 45% | 34% | 42% |
| Comprehensive Diabetes - Nephropathy | 95% | 95% | 90% | 79% | 94% |
| Controlling Blood Pressure - Total | 64% | 66% | 52% | N/A | 44% |
| Dental Treatment Services | 20% | 16% | 15% | 14% | 7% |
| Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications | 86% | 84% | 89% | 81% | 98% |

** = Insufficient enrollment to report this measure

N/A = Not a required measure for this plan

NR = Not Reported

CY 2016 MMA Performance Measure Scores

| Performance Measures | Health Plans | | | | |
|---|---------------------|------------|---------------|-----------------------------|--------------|
| | Aetna Better Health | Amerigroup | Better Health | Children's Medical Services | Clear Health |
| Engagement of Alcohol and Other Drug Dependence Treatment - ages 13-17 years | 13% | 13% | 6% | 12% | ** |
| Engagement of Alcohol and Other Drug Dependence Treatment - ages 18+ years | 3% | 6% | 6% | 5% | 4% |
| Engagement of Alcohol and Other Drug Dependence Treatment - Total | 4% | 7% | 6% | 9% | 4% |
| Follow-up After Emergency Department Visit for Alcohol and Other Drug Dependence - 7 Day - Total | 6% | 5% | 4% | 2% | 8% |
| Follow-up After Emergency Department Visit for Alcohol and Other Drug Dependence - 30 Day - Total | 8% | 8% | 6% | 4% | 9% |
| Follow-up After Hospitalization for Mental Illness - 7 Day | 45% | 47% | 34% | 41% | 28% |
| Follow-up After Hospitalization for Mental Illness - 30 Day | 58% | 63% | 48% | 63% | 38% |
| Follow-up After Emergency Department Visit for Mental Illness - 7 Day | 23% | 38% | 25% | 36% | 21% |
| Follow-up After Emergency Department Visit for Mental Illness - 30 Day | 46% | 54% | 42% | 59% | 26% |
| Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase | 24% | 52% | 42% | 39% | ** |
| Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase | 19% | 68% | 49% | 47% | ** |
| Frequency of Ongoing Prenatal Care - Greater than 81% of Visits | 75% | 71% | 61% | 31% | 48% |
| Highly Active Anti-Retroviral Treatment | 88% | 87% | 86% | 93% | 94% |

** = Insufficient enrollment to report this measure

N/A = Not a required measure for this plan

NR = Not Reported

CY 2016 MMA Performance Measure Scores

| Performance Measures | Health Plans | | | | |
|--|---------------------|------------|---------------|-----------------------------|--------------|
| | Aetna Better Health | Amerigroup | Better Health | Children's Medical Services | Clear Health |
| HIV-Related Outpatient Medical Visits ≥ 2 (182) | 36% | 50% | 39% | 68% | 54% |
| HIV-Related Outpatient Medical Visits 0 (INVERSE) | 42% | 18% | 18% | 9% | 12% |
| HIV Viral Load Suppression - ages 18-64 years | 49% | 17% | 0% | 0% | 0% |
| HIV Viral Load Suppression - ages 65+ years | ** | ** | ** | ** | 0% |
| Immunization for Adolescents - Combination 1 | 78% | 73% | 73% | 71% | ** |
| Initiation of Alcohol and Other Drug Dependence Treatment - ages 13-17 years | 35% | 43% | 20% | 49% | ** |
| Initiation of Alcohol and Other Drug Dependence Treatment - ages 18+ years | 26% | 38% | 33% | 38% | 43% |
| Initiation of Alcohol and Other Drug Dependence Treatment - Total | 27% | 39% | 31% | 45% | 43% |
| Lead Screening in Children | 71% | 72% | 70% | 57% | ** |
| Medication Management for People with Asthma - 75% Medication Compliance - Total | 24% | 23% | 25% | 52% | 60% |
| Mental Health Readmission Rate (INVERSE) | 17% | 33% | 28% | 21% | 41% |
| Metabolic Monitoring for Children and Adolescents on Antipsychotics - Total | 55% | 39% | 33% | 42% | ** |
| Plan All-Cause Readmissions - Females ages 18-64 years | 23% | 18% | 17% | N/A | 28% |
| Plan All-Cause Readmissions - Females ages 65+ years | 19% | 16% | 18% | N/A | ** |
| Plan All-Cause Readmissions - Males ages 18-64 years | 23% | 24% | 25% | N/A | 29% |
| Plan All-Cause Readmissions - Males ages 65+ years | 18% | 16% | 7% | N/A | ** |
| Plan All-Cause Readmissions - ages 18-64 years - Total | 23% | 20% | 20% | N/A | 28% |

** = Insufficient enrollment to report this measure

N/A = Not a required measure for this plan

NR = Not Reported

CY 2016 MMA Performance Measure Scores

| Performance Measures | Health Plans | | | | |
|---|---------------------|------------|---------------|-----------------------------|--------------|
| | Aetna Better Health | Amerigroup | Better Health | Children's Medical Services | Clear Health |
| Plan All-Cause Readmissions - ages 65+ years - Total | 19% | 16% | 14% | N/A | ** |
| Timeliness of Prenatal Care | 95% | 87% | 79% | 60% | 71% |
| Postpartum Care | 65% | 66% | 69% | 43% | 49% |
| Preventive Dental Services | 36% | 40% | 39% | 36% | 20% |
| Sealants | 13% | 14% | 16% | 9% | 9% |
| Transportation Availability | 100% | 100% | 100% | 100% | 100% |
| Transportation Timeliness | 95% | 88% | 96% | 72% | 95% |
| Use of Multiple Concurrent Antipsychotics in Children and Adolescents - Total (INVERSE) | 0% | 1% | 0% | 3% | ** |
| Well-Child 0 Visits (INVERSE) | 1% | 1% | 0% | 4% | ** |
| Well-Child 6+ Visits | 74% | 71% | 71% | 46% | ** |
| Well-Child Visits in the Third, Fourth, Fifth, and Sixth Years of Life | 78% | 76% | 79% | 72% | 77% |

** = Insufficient enrollment to report this measure

CY 2016 MMA Performance Measure Scores

| Performance Measures | Health Plans | | | | | | |
|---|---------------------|---------|--------|----------|--------|----------|----------|
| | Community Care Plan | Freedom | Humana | Magellan | Molina | Positive | Prestige |
| Adherence to Antipsychotic Medications for Individuals with Schizophrenia | 67% | N/A | 65% | 68% | 61% | 32% | 65% |
| Adolescent Well Care Visits | 56% | N/A | 52% | 35% | 50% | ** | 46% |
| Adults' Access to Preventive/Ambulatory Health Services - ages 20-44 | 50% | ** | 68% | 72% | 66% | 92% | 67% |
| Adults' Access to Preventive/Ambulatory Health Services - ages 45-64 | 71% | ** | 87% | 86% | 83% | 93% | 83% |
| Adults' Access to Preventive/Ambulatory Health Services - ages 65+ | 76% | 97% | 92% | 79% | 85% | ** | 83% |
| Adults' Access to Preventive/Ambulatory Health Services -Total | 58% | 98% | 79% | 77% | 72% | 93% | 72% |
| Adult BMI Assessment | 86% | ** | 93% | 78% | 85% | 93% | 84% |
| Annual Dental Visit - Total | 53% | N/A | 49% | 32% | 48% | ** | 47% |
| Annual Monitoring for Patients on Persistent Medications - ACEs/ARBs | 92% | 100% | 92% | 91% | 92% | 98% | 89% |
| Annual Monitoring for Patients on Persistent Medications - Digoxin | ** | ** | 54% | ** | 54% | ** | 53% |
| Annual Monitoring for Patients on Persistent Medications - Diuretics | 91% | 100% | 93% | 90% | 92% | 98% | 89% |
| Annual Monitoring for Patients on Persistent Medications - Total | 91% | 99% | 92% | 91% | 91% | 98% | 88% |
| Antidepressant Medication Management - Effective Acute Phase Treatment | 65% | ** | 55% | 49% | 53% | 67% | 53% |
| Antidepressant Medication Management - Effective Continuation Phase Treatment | 58% | ** | 40% | 33% | 37% | 58% | 36% |
| Breast Cancer Screening | 61% | ** | 56% | 38% | 59% | 58% | 57% |
| Call Answer Timeliness | 88% | 95% | 98% | 79% | 76% | 80% | 93% |

** = Insufficient enrollment to report this measure

CY 2016 MMA Performance Measure Scores

| Performance Measures | Health Plans | | | | | | |
|--|---------------------|---------|--------|----------|--------|----------|----------|
| | Community Care Plan | Freedom | Humana | Magellan | Molina | Positive | Prestige |
| Cervical Cancer Screening | 55% | N/A | 58% | 41% | 45% | 66% | 56% |
| Childhood Immunization Status - Combination 2 | 76% | N/A | 77% | ** | 79% | ** | 78% |
| Childhood Immunization Status - Combination 3 | 74% | N/A | 73% | ** | 76% | ** | 76% |
| Children and Adolescents' Access to Primary Care Practitioners - ages 12-24 months | 94% | N/A | 94% | ** | 93% | ** | 93% |
| Children and Adolescents' Access to Primary Care Practitioners - ages 25 months - 6 years | 90% | N/A | 87% | 64% | 86% | ** | 84% |
| Children and Adolescents' Access to Primary Care Practitioners - ages 7-11 years | 91% | N/A | 88% | 71% | 88% | ** | 85% |
| Children and Adolescents' Access to Primary Care Practitioners - ages 12-19 years | 84% | N/A | 85% | 66% | 85% | ** | 80% |
| Chlamydia Screening in Women - 16-20 years | 58% | N/A | 61% | 63% | 58% | ** | 57% |
| Chlamydia Screening in Women - 21-24 years | 67% | N/A | 68% | 65% | 69% | ** | 66% |
| Chlamydia Screening in Women - Total | 60% | N/A | 63% | 64% | 61% | ** | 60% |
| Comprehensive Diabetes - HbA1C Testing | 85% | ** | 87% | 77% | 86% | 90% | 83% |
| Comprehensive Diabetes - HbA1C Poor Control (INVERSE) | 43% | ** | 39% | 53% | 45% | 34% | 51% |
| Comprehensive Diabetes - HbA1C Good Control | 47% | ** | 47% | 39% | 47% | 49% | 39% |
| Comprehensive Diabetes - Eye Exam | 58% | ** | 67% | 39% | 57% | 28% | 50% |
| Comprehensive Diabetes - Nephropathy | 91% | ** | 93% | 90% | 91% | 92% | 91% |
| Controlling Blood Pressure - Total | 50% | 77% | 63% | 56% | 42% | 66% | 51% |
| Dental Treatment Services | 14% | N/A | 16% | 12% | 17% | 27% | 14% |
| Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications | 80% | N/A | 82% | 74% | 82% | 98% | 81% |

** = Insufficient enrollment to report this measure

N/A = Not a required measure for this plan

NR = Not Reported

CY 2016 MMA Performance Measure Scores

| Performance Measures | Health Plans | | | | | | |
|---|---------------------|---------|--------|----------|--------|----------|----------|
| | Community Care Plan | Freedom | Humana | Magellan | Molina | Positive | Prestige |
| Engagement of Alcohol and Other Drug Dependence Treatment - ages 13-17 years | 10% | ** | 9% | 12% | 5% | ** | 15% |
| Engagement of Alcohol and Other Drug Dependence Treatment - ages 18+ years | 6% | ** | 5% | 6% | 6% | 5% | 7% |
| Engagement of Alcohol and Other Drug Dependence Treatment - Total | 7% | ** | 5% | 7% | 6% | 5% | 8% |
| Follow-up After Emergency Department Visit for Alcohol and Other Drug Dependence - 7 Day - Total | 6% | N/A | 19% | 17% | 5% | ** | 7% |
| Follow-up After Emergency Department Visit for Alcohol and Other Drug Dependence - 30 Day - Total | 8% | N/A | 23% | 21% | 7% | ** | 10% |
| Follow-up After Hospitalization for Mental Illness - 7 Day | 47% | ** | 51% | 39% | 39% | 17% | 19% |
| Follow-up After Hospitalization for Mental Illness - 30 Day | 56% | ** | 53% | 47% | 56% | 18% | 48% |
| Follow-up After Emergency Department Visit for Mental Illness - 7 Day | 7% | N/A | 36% | 40% | 23% | ** | 25% |
| Follow-up After Emergency Department Visit for Mental Illness - 30 Day | 29% | N/A | 56% | 60% | 40% | ** | 48% |
| Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase | 43% | N/A | 27% | 0% | 51% | ** | 52% |
| Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase | 52% | N/A | 40% | 0% | 73% | ** | 71% |
| Frequency of Ongoing Prenatal Care - Greater than 81% of Visits | 63% | N/A | 72% | 40% | 64% | ** | 68% |
| Highly Active Anti-Retroviral Treatment | 92% | ** | 70% | 76% | 86% | 97% | 85% |

** = Insufficient enrollment to report this measure

N/A = Not a required measure for this plan

NR = Not Reported

CY 2016 MMA Performance Measure Scores

| Performance Measures | Health Plans | | | | | | |
|--|---------------------|---------|--------|----------|--------|----------|----------|
| | Community Care Plan | Freedom | Humana | Magellan | Molina | Positive | Prestige |
| HIV-Related Outpatient Medical Visits ≥ 2 (182) | 57% | ** | 0% | 0% | 48% | 51% | 46% |
| HIV-Related Outpatient Medical Visits 0 (INVERSE) | 10% | ** | 45% | 57% | 14% | 13% | 20% |
| HIV Viral Load Suppression - ages 18-64 years | 29% | ** | 0% | ** | 0% | 86% | 0% |
| HIV Viral Load Suppression - ages 65+ years | ** | ** | 0% | ** | ** | ** | ** |
| Immunization for Adolescents - Combination 1 | 81% | N/A | 79% | 54% | 68% | ** | 69% |
| Initiation of Alcohol and Other Drug Dependence Treatment - ages 13-17 years | 34% | ** | 30% | 57% | 28% | ** | 29% |
| Initiation of Alcohol and Other Drug Dependence Treatment - ages 18+ years | 41% | ** | 33% | 50% | 36% | 38% | 39% |
| Initiation of Alcohol and Other Drug Dependence Treatment - Total | 40% | ** | 33% | 51% | 35% | 38% | 38% |
| Lead Screening in Children | 72% | N/A | 67% | ** | 68% | ** | 63% |
| Medication Management for People with Asthma - 75% Medication Compliance - Total | 37% | N/A | 27% | 52% | 25% | ** | 29% |
| Mental Health Readmission Rate (INVERSE) | 18% | ** | 20% | 37% | 48% | 19% | 15% |
| Metabolic Monitoring for Children and Adolescents on Antipsychotics - Total | 33% | N/A | 40% | 36% | 36% | ** | 33% |
| Plan All-Cause Readmissions - Females ages 18-64 years | 19% | ** | 20% | 33% | 22% | 30% | 18% |
| Plan All-Cause Readmissions - Females ages 65+ years | 3% | ** | 11% | 29% | ** | ** | 22% |
| Plan All-Cause Readmissions - Males ages 18-64 years | 24% | ** | 24% | 41% | 27% | 10% | 21% |
| Plan All-Cause Readmissions - Males ages 65+ years | ** | ** | 13% | 28% | ** | ** | 18% |
| Plan All-Cause Readmissions - ages 18-64 years - Total | 21% | ** | 21% | 37% | 24% | 16% | 19% |

N/A = Not a required measure for this plan

** = Insufficient enrollment to report this measure

NR = Not Reported

CY 2016 MMA Performance Measure Scores

| Performance Measures | Health Plans | | | | | | |
|---|---------------------|---------|--------|----------|--------|----------|----------|
| | Community Care Plan | Freedom | Humana | Magellan | Molina | Positive | Prestige |
| Plan All-Cause Readmissions - ages 65+ years - Total | 9% | 12% | 12% | 28% | ** | 18% | 20% |
| Timeliness of Prenatal Care | 86% | 86% | 86% | 64% | 82% | ** | 86% |
| Postpartum Care | 67% | N/A | 70% | 39% | 60% | ** | 59% |
| Preventive Dental Services | 41% | N/A | 37% | 19% | 39% | 38% | 32% |
| Sealants | 15% | N/A | 14% | 8% | 14% | 11% | 13% |
| Transportation Availability | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| Transportation Timeliness | 89% | 94% | 87% | 87% | 88% | 94% | 93% |
| Use of Multiple Concurrent Antipsychotics in Children and Adolescents - Total (INVERSE) | 6% | N/A | 2% | 2% | 0% | ** | 1% |
| Well-Child 0 Visits (INVERSE) | 2% | N/A | 2% | ** | 3% | ** | 2% |
| Well-Child 6+ Visits | 70% | N/A | 67% | ** | 60% | ** | 61% |
| Well-Child Visits in the Third, Fourth, Fifth, and Sixth Years of Life | 81% | N/A | 75% | 48% | 81% | ** | 67% |

** = Insufficient enrollment to report this measure

CY 2016 MMA Performance Measure Scores

| Performance Measures | Health Plans | | | | |
|---|--------------|----------|----------|--------------------------|--------|
| | Simply | Staywell | Sunshine | Sunshine - Child Welfare | United |
| Adherence to Antipsychotic Medications for Individuals with Schizophrenia | 61% | 57% | 64% | N/A | 63% |
| Adolescent Well Care Visits | 62% | 56% | 47% | 57% | 53% |
| Adults' Access to Preventive/Ambulatory Health Services - ages 20-44 | 70% | 71% | 63% | N/A | 70% |
| Adults' Access to Preventive/Ambulatory Health Services - ages 45-64 | 90% | 87% | 78% | N/A | 85% |
| Adults' Access to Preventive/Ambulatory Health Services - ages 65+ | 93% | 87% | 65% | N/A | 75% |
| Adults' Access to Preventive/Ambulatory Health Services -Total | 83% | 76% | 67% | N/A | 74% |
| Adult BMI Assessment | 90% | 87% | 85% | N/A | 87% |
| Annual Dental Visit - Total | 52% | 50% | 45% | 63% | 45% |
| Annual Monitoring for Patients on Persistent Medications - ACEs/ARBs | 93% | 92% | 91% | N/A | 93% |
| Annual Monitoring for Patients on Persistent Medications - Digoxin | 49% | 62% | 62% | N/A | 45% |
| Annual Monitoring for Patients on Persistent Medications - Diuretics | 94% | 92% | 92% | N/A | 92% |
| Annual Monitoring for Patients on Persistent Medications - Total | 93% | 92% | 91% | N/A | 92% |
| Antidepressant Medication Management - Effective Acute Phase Treatment | 58% | 49% | 48% | N/A | 52% |
| Antidepressant Medication Management - Effective Continuation Phase Treatment | 44% | 32% | 32% | N/A | 36% |
| Breast Cancer Screening | 68% | 63% | 36% | N/A | 61% |
| Call Answer Timeliness | 88% | 90% | 83% | 84% | 93% |

CY 2016 MMA Performance Measure Scores

| Performance Measures | Health Plans | | | | |
|--|--------------|----------|----------|--------------------------|--------|
| | Simply | Staywell | Sunshine | Sunshine - Child Welfare | United |
| Cervical Cancer Screening | 61% | 64% | 46% | N/A | 58% |
| Childhood Immunization Status - Combination 2 | 76% | 78% | 77% | 86% | 74% |
| Childhood Immunization Status - Combination 3 | 70% | 74% | 73% | 79% | 70% |
| Children and Adolescents' Access to Primary Care Practitioners - ages 12-24 months | 95% | 96% | 92% | 98% | 94% |
| Children and Adolescents' Access to Primary Care Practitioners - ages 25 months - 6 years | 91% | 89% | 86% | 91% | 87% |
| Children and Adolescents' Access to Primary Care Practitioners - ages 7-11 years | 92% | 89% | 86% | 93% | 89% |
| Children and Adolescents' Access to Primary Care Practitioners - ages 12-19 years | 85% | 87% | 81% | 91% | 86% |
| Chlamydia Screening in Women - 16-20 years | 65% | 60% | 62% | 71% | 56% |
| Chlamydia Screening in Women - 21-24 years | 68% | 69% | 70% | ** | 66% |
| Chlamydia Screening in Women - Total | 65% | 63% | 65% | 71% | 60% |
| Comprehensive Diabetes - HbA1C Testing | 90% | 85% | 66% | N/A | 82% |
| Comprehensive Diabetes - HbA1C Poor Control (INVERSE) | 35% | 44% | 58% | N/A | 42% |
| Comprehensive Diabetes - HbA1C Good Control | 52% | 46% | 34% | N/A | 46% |
| Comprehensive Diabetes - Eye Exam | 50% | 65% | 47% | N/A | 53% |
| Comprehensive Diabetes - Nephropathy | 97% | 91% | 84% | N/A | 92% |
| Controlling Blood Pressure - Total | 64% | 56% | 45% | N/A | 46% |
| Dental Treatment Services | 19% | 17% | 14% | N/A | 14% |
| Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications | 84% | 82% | 83% | 80% | 81% |

** = Insufficient enrollment to report this measure

CY 2016 MMA Performance Measure Scores

| Performance Measures | Health Plans | | | | |
|---|--------------|----------|----------|--------------------------|--------|
| | Simply | Staywell | Sunshine | Sunshine - Child Welfare | United |
| Engagement of Alcohol and Other Drug Dependence Treatment - ages 13-17 years | 17% | 12% | 10% | 15% | 17% |
| Engagement of Alcohol and Other Drug Dependence Treatment - ages 18+ years | 2% | 8% | 6% | 8% | 10% |
| Engagement of Alcohol and Other Drug Dependence Treatment - Total | 3% | 8% | 6% | 13% | 10% |
| Follow-up After Emergency Department Visit for Alcohol and Other Drug Dependence - 7 Day - Total | 14% | 6% | 6% | 6% | NR |
| Follow-up After Emergency Department Visit for Alcohol and Other Drug Dependence - 30 Day - Total | 15% | 9% | 8% | 9% | NR |
| Follow-up After Hospitalization for Mental Illness - 7 Day | 37% | 38% | 42% | 60% | 55% |
| Follow-up After Hospitalization for Mental Illness - 30 Day | 58% | 53% | 55% | 79% | 69% |
| Follow-up After Emergency Department Visit for Mental Illness - 7 Day | 23% | 31% | 22% | 60% | NR |
| Follow-up After Emergency Department Visit for Mental Illness - 30 Day | 47% | 45% | 35% | 72% | NR |
| Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase | 37% | 54% | 55% | 71% | 47% |
| Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase | 57% | 71% | 69% | 78% | 68% |
| Frequency of Ongoing Prenatal Care - Greater than 81% of Visits | 69% | 69% | 61% | 48% | 66% |
| Highly Active Anti-Retroviral Treatment | 83% | 78% | 64% | ** | 89% |

** = Insufficient enrollment to report this measure

N/A = Not a required measure for this plan

NR = Not Reported

CY 2016 MMA Performance Measure Scores

| Performance Measures | Health Plans | | | | |
|--|--------------|----------|----------|--------------------------|--------|
| | Simply | Staywell | Sunshine | Sunshine - Child Welfare | United |
| HIV-Related Outpatient Medical Visits ≥ 2 (182) | 31% | 60% | 40% | ** | 44% |
| HIV-Related Outpatient Medical Visits 0 (INVERSE) | 30% | 13% | 23% | ** | 20% |
| HIV Viral Load Suppression - ages 18-64 years | 0% | 0% | 15% | ** | 57% |
| HIV Viral Load Suppression - ages 65+ years | ** | 0% | 11% | ** | ** |
| Immunization for Adolescents - Combination 1 | 72% | 70% | 67% | 68% | 66% |
| Initiation of Alcohol and Other Drug Dependence Treatment - ages 13-17 years | 51% | 39% | 40% | 47% | 46% |
| Initiation of Alcohol and Other Drug Dependence Treatment - ages 18+ years | 22% | 40% | 44% | 46% | 49% |
| Initiation of Alcohol and Other Drug Dependence Treatment - Total | 23% | 40% | 43% | 47% | 48% |
| Lead Screening in Children | 69% | 64% | 64% | 71% | 62% |
| Medication Management for People with Asthma - 75% Medication Compliance - Total | 35% | 24% | 22% | 30% | 28% |
| Mental Health Readmission Rate (INVERSE) | 33% | 20% | 30% | 67% | 21% |
| Metabolic Monitoring for Children and Adolescents on Antipsychotics - Total | 54% | 32% | 35% | 51% | 40% |
| Plan All-Cause Readmissions - Females ages 18-64 years | 21% | 21% | 19% | N/A | 19% |
| Plan All-Cause Readmissions - Females ages 65+ years | 14% | 16% | ** | N/A | 3% |
| Plan All-Cause Readmissions - Males ages 18-64 years | 30% | 27% | 25% | N/A | 24% |
| Plan All-Cause Readmissions - Males ages 65+ years | 24% | 17% | ** | N/A | 6% |
| Plan All-Cause Readmissions - ages 18-64 years - Total | 25% | 23% | 22% | N/A | 21% |

** = Insufficient enrollment to report this measure

CY 2016 MMA Performance Measure Scores

| Performance Measures | Health Plans | | | | |
|---|--------------|----------|----------|--------------------------|--------|
| | Simply | Staywell | Sunshine | Sunshine - Child Welfare | United |
| Plan All-Cause Readmissions - ages 65+ years - Total | 19% | 17% | ** | N/A | 4% |
| Timeliness of Prenatal Care | 87% | 84% | 79% | 73% | 89% |
| Postpartum Care | 63% | 66% | 61% | 50% | 62% |
| Preventive Dental Services | 41% | 38% | 33% | N/A | 32% |
| Sealants | 15% | 16% | 13% | N/A | 14% |
| Transportation Availability | 100% | 98% | 100% | 100% | 100% |
| Transportation Timeliness | 94% | 76% | 89% | 86% | 86% |
| Use of Multiple Concurrent Antipsychotics in Children and Adolescents - Total (INVERSE) | 0% | 2% | 1% | 1% | 1% |
| Well-Child 0 Visits (INVERSE) | 2% | 1% | 3% | 1% | 2% |
| Well-Child 6+ Visits | 69% | 64% | 51% | 39% | 66% |
| Well-Child Visits in the Third, Fourth, Fifth, and Sixth Years of Life | 81% | 79% | 72% | 78% | 72% |

** = Insufficient enrollment to report this measure